



WWW.ROSENBAUERAMERICA.COM



## **COMMANDER**<sup>™</sup>

WORLD CLASS CUSTOM FIRE CHASSIS

### **DURABLE CONSTRUCTION**

- Heavy-Duty 3/16 Aluminum Plate
- Heavy-Duty Aluminum Extrusion Framing
- Stamped Corners and Front Fascia
- Surpassed NFPA Standardized Side, Front and Roof Testing
- Industry Leading Floor Space for Driver and Officer








- Finite Element Analysis
- State-of-the-Art Computer 3-D Engineering








Rigorous testing ensures peak performance in the field.



## COMMANDER

## WORLD CLASS CUSTOM FIRE CHASSIS





## COMMANDER

## WORLD CLASS CUSTOM FIRE CHASSIS

### ERGONOMICS

Everything designed around you.



Wrap-Around Dash, Conveniently Located Controls, and in Dash HVAC Vents Point-to-Point Electrical System (Pictured) (Multiplexing Optional)

# 0000

Controls Located in Steering Wheel (Optional)

R

Outboard HVAC for Crew

Front Fluids Access Through Grill

5

Flat Crew Floor with One O'Clock PTO

Wide Door Openings and Low Steps

Independent Front Air Suspension (Optional)

## **COMMANDER**<sup>™</sup>

## WORLD CLASS CUSTOM FIRE CHASSIS





### FOCUSING ON FIREFIGHTER HEALTH

Our in-cab Clean Air re-circulation air scrubber reduces carcinogenic toxins, including large particulates and VOCs, with a 50% reduction in VOC concentrations occurred in approximately 2 minutes. Furthermore, an 80% reduction in VOC concentration occurred in approximately 5 minutes.



### FRAME



### PROTECTIVE COATINGS

三日の日日日

18

Ultimate in Corrosion Resistance

IIII SALAR

Hot Dip Galvanizing (Optional)

**LAILBREE** 


Powder Coated Rail and Cross-Members (Standard)

## **COMMANDER**<sup>™</sup>

WORLD CLASS CUSTOM FIRE CHASSIS

COMMANDER SPECS			33" 2-DOOR CAB	45" CAB
COMMANDER PERFORMANCE OPTIONS		FLAT ROOF	79" 33"	79" 45"
ENGINES		8" RAISED		
ТҮРЕ	RATINGS	ROOF		
Cummins L9	380-450 hp 1000-1250 ft-lbs. torque			79" 45"
Cummins X12	455 hp & 500 hp 1695-1700 ft-lbs. torque	11" RAISED		
Cummins X15	505-600 hp 1850 ft-lbs of torque	ROOF		
TRANSMISSIONS				
ТҮРЕ	RATINGS	18" RAISED		
Allison	3000 EVS	ROOF		
Allison	4000 EVS			
AXLES				
ТҮРЕ	RATINGS	24" RAISED		
Steer	18k, 20k, 23k, 24k IFS 20k & 24k	ROOF		
Drive	24k, 27k, 31.5k, 33k, 35k			
Tandem	40k, 44k, 48k, 52k, 54k, 60k, 63k	THE REP.		
4x4 Options: Transfer Case or Power Divider	Herrington MT-22 & MT-17 EZ-Trac System 20k			
	Front Power Divider Axles:		ELCO 1	
	23K, 27K, 31K			

æ






**Round Headlights** 


**Square Headlights** 

0

99"

Ċœ





Seating for up to 10

#### ROSENBAUER GROUP 9 @ROSYFIRE

ROSENBAUERFIRE

**O ROSENBAUERUS** 

Rosenbauer South Dakota, LLC 100 Third Street Lyons, SD 57041 605.543.5591

**Rosenbauer Minnesota, LLC** 5181 260th Street Wyoming, MN 55092 651.462.1000

#### Rosenbauer Motors, LLC 5190 260th Street Wyoming, MN 55092

651.462.1000

#### Rosenbauer Aerials, LLC

870 S Broad Street Fremont, NE 68025 402.721.7622

#### ROSENBAUERAMERICA.COM | INFO@ROSENBAUERAMERICA.COM

